

SITOR cylindrical fuse link, 14x51 mm, 32 A, gR, Un AC: 690 V, Un DC: 600 V



Model	
Product brand name	SETRON
Product designation	SITOR cylindrical fuse link
General technical data	
Operating class of the fuse link	gR
Size of the fuse link	14x51 mm
Supply voltage / at DC	600 V
Main circuit	
Operating voltage / rated value	690 V
Operating current / Rated value	32 A
Product details	
Product component / striker	No
(mounting position)	Any, preferably vertical
(net weight)	30 g
Certificates	
Reference code	F
• acc. to DIN EN 61346-2	

General Product Approval

[Miscellaneous](#)



UR

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NC1432-0MK>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NC1432-0MK>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NC1432-0MK

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



