## SIEMENS

## Data sheet

## 6GK5795-6MT00-0AA0

product type designation

## Antenna ANT795-6MT

ANT795-6MT IWLAN antenna MIMO antenna with omni- directional characteristic incl. 3x QMA sockets; 5/7 dBi; IP65 (-40-+85 °C), 2.4/5GHz; Wi-Fi compliance and Observe national approvals; mounting on roof, vehicles and ceiling installation; compact instructions as hard copy English/German; scope of delivery: 1x ANT795-6MT, 1x mounting aid for Ceiling mounting



radio frequencies	
type of wireless network / is supported	WLAN
operating frequency	
<ul> <li>for WLAN in 2.4 GHz frequency band</li> </ul>	2.4 2.69 GHz
<ul> <li>for WLAN in 5 GHz frequency band 1</li> </ul>	5.15 5.35 GHz
<ul> <li>for WLAN in 5 GHz frequency band 2</li> </ul>	5.47 5.935 GHz
electrical data	
impedance	50 Ω
polarization	3 ports: Linear vertical
radiation characteristic	omnidirectional
antenna gain compared to spherical radiator	
<ul> <li>of the WLAN antenna / in the 2.4 GHz frequency band</li> </ul>	5 dB
<ul> <li>of the WLAN antenna / in the 5 GHz frequency band</li> </ul>	7 dB
standing wave ratio (VSWR) / maximum	1.5
radiating angle of the antenna	
<ul> <li>in the 2.4 GHz frequency band / horizontal</li> </ul>	360°
<ul> <li>in the 5 GHz frequency band / horizontal</li> </ul>	360°
type of electrical connection / of the antenna	QMA Connector
design of plug-in connection	female
angle of inclination / downward / maximum	0°
crosstalk attenuation / between the antenna connections	20 dB
mechanical data	
material	
• of outer shell	Polycarbonate
ambient conditions	
ambient temperature	
<ul> <li>during operation</li> </ul>	-40 +85 °C
<ul> <li>during storage</li> </ul>	-40 +85 °C
during transport	-40 +85 °C
protection class IP	IP65
design, dimensions and weights	
width	282 mm
height	32 mm
depth	92 mm
net weight	320 g

fastening method	
<ul> <li>mast mounting</li> </ul>	No
wall mounting	Yes
<ul> <li>roof mounting</li> </ul>	Yes
<ul> <li>directly on the device</li> </ul>	No
product features, product functions, product components / general	
product feature / silicon-free	Yes
standards, specifications, approvals	
certificate of suitability	
RoHS conformity	Yes
<ul> <li>railway application in accordance with EN 50155</li> </ul>	Yes
<ul> <li>fire protection in accordance with EN 45545-2</li> </ul>	Yes
Marine classification association / Korean Register of Shipping (KRS)	Yes
product conformity	UL 94-V0
wireless approval	Current national approvals can be found on the Internet under www.siemens.com/funkzulassungen
further information / internet-Links	
Internet-Link	
<ul> <li>to web page: selection aid TIA Selection Tool</li> </ul>	http://www.siemens.com/snst
<ul> <li>to website: Industrial communication</li> </ul>	http://www.siemens.com/simatic-net
<ul> <li>to website: Industry Mall</li> </ul>	https://mall.industry.siemens.com
<ul> <li>to website: Information and Download Center</li> </ul>	http://www.siemens.com/industry/infocenter
<ul> <li>to website: Image database</li> </ul>	http://automation.siemens.com/bilddb
<ul> <li>to website: CAx-Download-Manager</li> </ul>	http://www.siemens.com/cax
<ul> <li>to website: Industry Online Support</li> </ul>	https://support.industry.siemens.com
last modified:	12/16/2020 🖸