


Contact insert M23 Power - 8-pole

Item number 7084943122



Technical data

Characteristic of connection	Crimp
Number of poles	8
Pole picture	4 + 3 + PE
Coding	PE
Insert	Socket
colour	blue
Material insulating body	PA 6, PBT
Number of contacts signal	4
Number of contacts power	3
Number of contacts PE	1
Contact-Ø signal	1 mm
Contact-Ø power	2 mm
Terminal cross section signal	1.5 - 1.5 mm ²
Terminal cross section power	0.75 - 4 mm ²
Nominal current power	28 A
Nominal current signal	8 A

Contact insert M23 Power - 8-pole

Item number 7084943122

Nominal voltage at degree of pollution 3 power	600 V~
Test voltage signal	2500 V~
Test voltage power	4000 V~
Insulation resistance signal	$> 10^{13}$ Ohm
Max. contact resistance signal	3 mOhm
Max. contact resistance power	3 mOhm
Degree of Protection	3
Flammability	V-0 (UL 94)
Suitable Signal contacts	7010941002, 7010941022
Suitable power contacts	7010942002, 7010942012
Suitable PE-/FE-contacts	7010942002, 7010942012

Contact insert M23 Power - 8-pole

Item number 7084943122

Commercial data

Packaging Unit	10
EAN code	4033878001653
Weight	0.0085 kg
ETIM 7	EC003557
eCl@ss 10.1	27440223
Customs tariff number	85472000

Note:

