





Wire connector TA4.3 4 x 120...240 mm² for 4 cables 3 units accessories for: 3VA15/25 1000

| Model | |
|---|-------------------------------------|
| product brand name | SENTRON |
| product designation | accessories |
| design of the product | circular conductor terminal |
| accessories | Wire connector |
| General technical data | |
| designation / of the terminal | TA4.3 |
| type of electrical connection / with control wire tap | No |
| Connections according IEC | |
| connectable conductor cross-section | |
| • for copper cable / stranded / minimum | 120 mm ² |
| • for copper cable / stranded / maximum | 240 mm ² |
| stripped length | 23.1 44.5 |
| tightening torque / when using copper cables | |
| • stranded | 120 - 240 mm ² : 36.7 Nm |
| • finely stranded | 185 mm ² : 36.7 Nm |
| Connections according UL | |
| permissible temperature / of connectable conductor / according to UL 486A-486B | 90 °C |
| stripped length | 0.91 1.75 |
| connectable conductor cross-section | |
| • for copper cable / stranded / minimum | 4/0 |
| • for copper cable / stranded / maximum | 500 |
| • for copper cable / finely stranded / minimum | 4/0 |
| • for copper cable / finely stranded / maximum | 500 |
| • for aluminum cable / stranded / minimum | 4/0 |
| • for aluminum cable / stranded / maximum | 500 |
| tightening torque / when using copper cables | |
| • stranded | 4/0 - 500 kcmil: 325 lb-in |
| • finely stranded | 4/0 - 500 kcmil: 325 lb-in |
| Further information | |
| Information on the packaging | |
| https://support.industry.siemens.com/cs/ww/en/view/109813875 | |
| Information- and Downloadcenter (Catalogs, Brochures,...) | |
| http://www.siemens.com/lowvoltage/catalogs | |
| Industry Mall (Online ordering system) | |
| https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9603-0JJ43 | |
| Service&Support (Manuals, Certificates, Characteristics, FAQs,...) | |
| https://support.industry.siemens.com/cs/ww/en/ps/3VA9603-0JJ43 | |
| Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) | |
| http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9603-0JJ43 | |
| CAX-Online-Generator | |
| http://www.siemens.com/cax | |

Tender specifications

<http://www.siemens.com/specifications>



last modified:

8/19/2022 