

HSK-W-Flex

Item number 1314160150



Technical data

| | |
|----------------------|--------------------|
| Material | Polyamide |
| Seal | NBR |
| Material o-ring | NBR |
| Protection class | IP 68 - 1bar/30min |
| Temperature range | -40°C to +100°C |
| Colour | black |
| RAL | 9005 |
| Variant | Metric |
| External thread (AG) | M16 x 1,5 |
| Cable diameter | 4 - 8 mm |
| d | 8.88 mm |
| Thread length (GL) | 8 mm |
| Height (H) | 23 mm |
| Length (L) | 85 mm |
| Wrench size (SW) | 19 mm |
| Tightening torque | 2.5 Nm |

HSK-W-Flex

Item number 1314160150

Type Rating by 12 , 4 , 4X , 6 (with additional O-ring) , UL 50E



Dimensions and specifications may be changed without prior notice



www.hummel.com

HSK-W-Flex

Item number 1314160150

Commercial data

| | |
|-----------------------|---------------|
| Packaging Unit | 20 |
| EAN code | 4033878420225 |
| Weight | 0.01818 kg |
| ETIM 7 | EC000441 |
| ETIM 8 | EC000441 |
| ETIM 9 | EC000441 |
| eCl@ss 10.1 | 27-14-44-32 |
| Customs tariff number | 39269097 |

Note:

