



odpojovací nožový kontakt NH, konstrukční velikost NH00, s časově předsunutým zapínáním, pro 4-pólové aplikace, příslušenství pro pojistkový odpojovač zátěže 3NP1

| Verze | | |
|--|---|-------|
| Název značky produktu | SETRON | |
| označení produktu | nůž odpojovače | |
| provedení produktu | odpojovací nožový kontakt NH, časově předsunutý | |
| konstrukční velikost pojistkové vložky | NH00 | |
| Hlavní obvod | | |
| provozní proud jmenovitá hodnota | 160 A | |
| Mechanická konstrukce | | |
| Netto hmotnost na MJ | 125 g | |
| Aprobace Certifikáty | | |
| General Product Approval | Maritime application | other |



EG-Konf.

[Miscellaneous](#)



| other | Environment |
|-------|-------------|
|-------|-------------|

[Confirmation](#)



[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

Další informace

Informace o balení

[Informace o balení](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NP1934-1MA20>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/cz/ps/3NP1934-1MA20>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NP1934-1MA20

CAX-Online-Generator



<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Charakteristické křivky

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



Poslední změna:

24.05.2025 