



držák válcové pojistky 10x38mm, 1pól. jmenovitý proud: 32 A, jmenovité napětí AC: 690 V

Verze		
Název značky produktu	SENTRON	
označení produktu	bezpečnostní cylindrický držák	
Obecné technické údaje		
počet pólů	1	
konstrukční velikost pojistkové vložky	10x38 mm	
Napájecí napětí		
provozní napětí	690 V	
• u AC jmenovitá hodnota		
Druh krytí IP	IP20	
Mechanická konstrukce		
výška	81 mm	
šířka	18 mm	
hloubka	64 mm	
Netto hmotnost na MJ	57 g	
Certifikáty		
referenční značka podle IEC 81346-2:2009	F	
Aprobace Certifikáty		
Environment	General Product Approval	other

[Environmental Conformations](#)



[Confirmation](#)



[Confirmation](#)

### Další informace

Informace o balení

[Informace o balení](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW7013-2>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/cz/ps/3NW7013-2>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NW7013-2](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7013-2)

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>



Poslední změna:

11.12.2025 

