

LV HRC FUSE LINK GL/GG WITH INSULATED GRIP
LUGS WITH COMBINATION INDICATOR SIZE 1,
125A, AC 690V/DC 440V



Figure similar

Model		
product brand name		SETRON
Product designation		LV HRC fuse link
Design of an identification indicator		Combination alarms
Design of the switching contact		Non-corroding, silver-plated
Design of the fuse link		LV HRC fuse link
General technical data		
Size of fuse system / acc. to DIN EN 60269-1		NH1
Operating class of the fuse link		gG
circuit-breaker / Design		3NA6
Supply voltage		
• at AC / rated value	V	690
• at DC	V	440
Protection class		
Protection class IP		IP20, with connected conductors
Switching capacity		
Switching capacity current		
• at DC / acc. to IEC 60947-2 / rated value	kA	25

- acc. to IEC 60947-2 / rated value

kA	120
----	-----

Dissipation

Power loss [W]

- for rated value of the current / at AC / in hot operating state / per pole

W	10.5
---	------

Electricity

rated current I _n / IEC, DIN/VDE / at 40 Cel	A	118.75
---	---	--------

Current / at AC / rated value	A	125
-------------------------------	---	-----

Mechanical Design

Mounting position

Any, preferably vertical

Net weight

g	285
---	-----

Environmental conditions

Ambient temperature

- minimum
- maximum
- during storage / Note

°C	-5
°C	40

Air humidity 90% at 20 °C

Environmental category

-20 to +50 at 95% relative humidity

Certificates

Equipment marking

- acc. to DIN EN 61346-2
- acc. to DIN EN 81346-2

F
F

General Product Approval	Declaration of Conformity	Test Certificates	Shipping Approval
--------------------------	---------------------------	-------------------	-------------------



[Typprüfbescheinigung/Werkszeugnis](#)

[spezielle Prüfbescheinigungen](#)

[sonstig](#)



GL

other

[sonstig](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/3NA61326>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3NA61326/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NA61326

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://ausschreibungstexte.siemens.com/tiplv>



last modified:

12.05.2016