

CONTROL SWITCH 1NO+1NC FOR CYLINDRICAL FUSE BASE
SIZE 22X58 MM



Model	
product brandname	SENTRON
Product designation	Auxiliary current switch
Design of the product	Mountable
Design of the product / factory mounted	No
Switching capacity	
Switching capacity current / Rated value	5 A
Main circuit	
Operating voltage / rated value	250 V
Control current	
Type of voltage / of control voltage	AC
Product details	
Product extension	Auxiliary current switch
<ul style="list-style-type: none"> • can be mounted 	others
Number	
Number of fault signal contacts	0
Number of NC contacts	0

Number of NO contacts	0
Number of CO contacts	1

Mechanical Design

Height	90 mm
Width	8 mm
Depth	49.8 mm
Number of width units	0.5
Net weight	53 g

Declaration of Conformity

Test Certificates



EG-Konf.

[sonstig](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/3NW7902>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3NW7902/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=3NW7902

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



22 14

13/21