SIEMENS

Data sheet

6GK7177-1FA10-0AA0

Product type designation

LOGO! CSM 230

LOGO! CSM 230 COMPACT SWITCH MODULE CONNECT. TO LOGO! (..0BA7) AND UP TO 3 ADDITIONAL CLIENTS TO IND. ETHERNET W. 10/100 MBIT/S UNMANAGED SWITCH, 4 RJ45 PORTS, 1XFRONTPORT FOR DIAGNOSTICS 115... 240 V AC/DC



Transmission rate		
Transfer rate	10 Mbit/s, 100 Mbit/s	
Interfaces / for communication / integrated		
Interfaces / for communication / integrated		
Number of electrical connections		
 for network components or terminal equipment 	4	
Number of 100 Mbit/s SC ports		
• for multimode	0	
Number of 1000 Mbit/s LC ports		
• for multimode	0	
• for single mode (LD)	0	
Interfaces / others		
Number of electrical connections		
• for power supply	1	
Type of electrical connection		
• for power supply	3-pole terminal block	
Supply voltage, current consumption, power loss		
Type of voltage / of the supply voltage	115240 V AC/DC	

	_
Supply voltage	
• external	230 V
• external	100 240 V
Product component / fusing at power supply input	Yes
Consumed current / maximum	0.02 A
Power loss [W]	
• at AC / at 230 V	1.8 W
Permitted ambient conditions	
Ambient temperature	
 during operation 	0 55 °C
 during storage 	-40 +70 °C
 during transport 	-40 +70 °C
Relative humidity	
 at 25 °C / without condensation / during 	90 %
operation / maximum	
Protection class IP	IP20
Design, dimensions and weight	
Design	LOGO! module
Width	72 mm
Height	90 mm
Depth	55 mm
Net weight	0.155 kg
Mounting type	-
 35 mm DIN rail mounting 	Yes
wall mounting	Yes
 S7-300 rail mounting 	No
• S7-1500 rail mounting	No
Product functions / management, configuration	
Product function	
multiport mirroring	No
 switch-managed 	No
Standards, specifications, approvals	
Standard	
 for hazardous zone 	no
 for safety / from CSA and UL 	UL60079-0, UL60079-15, CSA C22.2
Certificate of suitability / CE marking	Yes
Certificate of suitability	
• C-Tick	Yes
 KC approval 	No
Marine classification association	

 American Bureau of Shipping Europe Ltd. (ABS) 	No
• Bureau Veritas (BV)	No
 Det Norske Veritas (DNV) 	No
 Germanische Lloyd (GL) 	No
 Lloyds Register of Shipping (LRS) 	No
 Nippon Kaiji Kyokai (NK) 	No
 Polski Rejestr Statkow (PRS) 	No
rther Information / Internet Links	

Internet-Link

Fυ

 to website: Selector SIMATIC NET SELECTION TOOL 	http://www.siemens.com/snst
 to website: Industrial communication 	http://www.siemens.com/simatic-net
• to website: Industry Mall	https://mall.industry.siemens.com
 to website: Information and Download Center 	http://www.siemens.com/industry/infocenter
 to website: Image database 	http://automation.siemens.com/bilddb
 to website: CAx Download Manager 	http://www.siemens.com/cax
 to website: Industry Online Support 	https://support.industry.siemens.com

Security information

Security information

Siemens provides products and solutions with industrial security functions that support the secure operation of plants, solutions, machines, equipment and/or networks. They are important components in a holistic industrial security concept. With this in mind, Siemens' products and solutions undergo continuous development. Siemens recommends strongly that you regularly check for product updates. For the secure operation of Siemens products and solutions, it is necessary to take suitable preventive action(e.g. cell protection concept) and integrate each component into a holistic, state-of-the-art industrial security concept. Thirdparty products that may be in use should also be considered. For more information about industrial security, visit http://www.siemens.com/industrialsecurity. To stay informed about product updates as they occur, sign up for a product-specific newsletter. For more information, visit http://support.automation.siemens.com. (V3.4)

last modified:

04/13/2017